



 **Doormark, Inc.**

**PRODUCT  
CATALOG**

Fine Cabinetry Components for Kitchens, Baths, Closets & more.

# About Us



Founded in 1994, **Doormark Inc.** has been a leader in the **manufacturing of 3D laminated components** on the East Coast of the United States for over 30 years. Renowned in the industry for our diverse product offerings, our corporate office and 68,000 square foot facility are located at 430 Goolsby Boulevard in Deerfield Beach, Florida.

Doormark features a variety of unique door designs and offers an extensive selection of colors, including different matte, silk, wood grain, texture, and gloss finishes. Most of which are also available with melamine matching backs. Doormark also offers crown molding, valances, wine racks and an option for thermofoil on phenolic. The flexibility of exact matching accessories ensures that the fabrication of custom closets, kitchen cabinetry and cabinet refacing will be precisely color matched.

In addition, we offer acrylic and melamine parts using our Holzma panel saw and Homag edge bander with airTec technology for zero edge processing. Featuring 8 Heian CNC routers and 3 Wemhoner Membrane presses, our manufacturing facility is barcode driven for order accuracy. Doormark strives to maintain a high level of quality control, while maintaining the fulfillment of all orders on a stringent due date schedule.

At Doormark, we sincerely appreciate the loyalty and continued support of our valued customers. We invite you to explore our products and discover the unique benefits that Doormark Inc. has to offer. Thank you for the opportunity to serve you and demonstrate the difference that Doormark can make.



SCAN QR CODE  
TO PLACE AN ORDER ONLINE

# Table of Contents

## Contemporary Slab Designs.....1-7

Bal Harbor	Capris	Islamorada	Sunrise
Bimini	Fairway	Sebring	Venice
Biscayne	Gulfstream	South Beach	

## Standard Round Corner Designs.....8-11

Doral	Montego	Pompano
Martinique	Orlando	Weston

## Traditional Square Corner Designs.....12-16

Captiva	Hollywood	Port Charlotte
Daytona	Key Largo	San Marco
Englewood	Las Olas	

## Shaker Designs.....17-23

Euro Shaker	Shaker Bahama	Shaker Marathon	Shaker Sarasota
Holly Hill	Shaker Duluth	Shaker Naples	Shaker Thin
Shaker Abacoa	Shaker Freeport	Shaker Panama	Shaker Tortuga

## Applied Molding Designs.....24-26

Palm Beach	Vizcaya	Wellington
------------	---------	------------

## Infinite Series.....27-29

Shaker Jupiter	Shaker Largo	Shaker Vero
----------------	--------------	-------------

## Vivid Series.....30-32

Vivid Series 1	Vivid Series 2
----------------	----------------

\* The product colors shown throughout this catalog are not to be used for color matching. For precise color matching, please refer to the most recent Doormark, Inc Foil Sample set.

\* Please be aware that colors and textures may take on a slightly different appearance when applied to an mdf substrate.

# Table of Contents

**Crown..... 33**

**Fluted Fillers / Rosettes..... 34**

**Glazing..... 35**

**Phenolic Backed 3D Laminate / 3D Laminate..... 36**

**Mullion Doors..... 37**

**Panel Over Panel..... 38**

**Valances / Scooped Fronts / Window Fronts..... 39**

**Wine Racks..... 40**

**Hinge Boring..... 41**

**Care & Cleaning Instructions for 3DL Components..... 42**

\* The product colors shown throughout this catalog are not to be used for color matching. For precise color matching, please refer to the most recent Doormark, Inc Foil Sample set.

\* Please be aware that colors and textures may take on a slightly different appearance when applied to an mdf substrate.



 Doormark, Inc.

# Contemporary Slab Designs




# Bal Harbor

Min. Size Doors: 7.0"w x 7.0"h  
Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Mullion doors will not have vertical lines
- Grain direction for Reduced Rail Drawer front will default to vertical
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Bimini

Min. Size Doors: 7.0"w x 7.0"h  
Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Biscayne

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Mullion doors will not have vertical lines
- Grain direction for Reduced Rail Drawer front will default to vertical
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Capris

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Fairway


Min. Size Doors: 7.25"w x 7.25"h

Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*






# Gulfstream

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Islamorada

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Sebring


Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Sebring design has 3/8" round over radius on left and right sides and 1/16" round over radius on top and bottom edges.*

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# South Beach


Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Glazable: No

\* *South Beach design has 3/8" round over radius on left and right sides and 1/16" round over radius on top and bottom edges.*

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Sunrise

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*




# Venice

Min. Size Doors: 7.0"w x 7.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Doormark, Inc.

# Standard Round Corner Designs



# Doral


Min. Size Doors: 7.75"w x 7.75"h

Min. Size Reduced Rail Drawers: 7.75"w x 5.75"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Martinique




Min. Size Doors: 7.5"w x 7.5"h

Min. Size Reduced Rail Drawers: 7.5"w x 5.25"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Standard Round  
Corner Designs

# Montego


Min. Size Doors: 8.0"w x 8.0"h

Min. Size Reduced Rail Drawers: 8.0"w x 6.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Standard Round  
Corner Designs

# Orlando

Min. Size Doors: 7.0"w x 7.0"h


Min. Size Reduced Rail Drawers: 7.0"w x 5.5"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *South Beach design has 3/8" round over radius on left and right sides and 1/16" round over radius on top and bottom edges.*

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Standard Round  
Corner Designs

# Pompano



Min. Size Doors: 7.5"w x 7.5"h

Min. Size Reduced Rail Drawers: 7.5"w x 5.375"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Standard Round  
Corner Designs

# Weston


Min. Size Doors: 7.625"w x 7.625"h

Min. Size Reduced Rail Drawers: 7.625"w x 5.5"h

Min. Size Slab Drawers: 7.0"w x 2.5"h


- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Radius Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



 Doormark, Inc.

# Traditional Square Corner Designs





Traditional Square  
Corner Designs

# Captiva


Min. Size Doors: 7.375"w x 7.375"h

Min. Size Reduced Rail Drawers: 7.375"w x 5.375"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Traditional Square  
Corner Designs

# Daytona


Min. Size Doors: 7.375"w x 7.375"h

Min. Size Reduced Rail Drawers: 7.375"w x 5.375"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Traditional Square  
Corner Designs

# Englewood


Min. Size Doors: 8.0"w x 8.0"h

Min. Size Reduced Rail Drawers: 8.0"w x 5.5"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Traditional Square  
Corner Designs

# Hollywood


Min. Size Doors: 7.0"w x 7.0"h

Min. Size Reduced Rail Drawers: 7.0"w x 4.875"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Key Largo




Min. Size Doors: 7.5"w x 7.5"h

Min. Size Reduced Rail Drawers: 7.5"w x 5.5"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Las Olas




Min. Size Doors: 8.0"w x 8.0"h

Min. Size Reduced Rail Drawers: 8.0"w x 5.75"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Traditional Square  
Corner Designs

# Port Charlotte


Min. Size Doors: 7.5"w x 7.5"h

Min. Size Reduced Rail Drawers: 7.5"w x 5.75"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Traditional Square  
Corner Designs

# San Marco



Min. Size Doors: 8.25"w x 8.25"h

Min. Size Reduced Rail Drawers: 8.25"w x 5.875"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*





 Doormark, Inc.

# Shaker Designs



# Euro Shaker




**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 4.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Stiles & Rails 1"
- No Mullion Door Option
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Holly Hill

**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: N/A**

**Min. Size Slab Drawers: N/A**

- No Mullion Door Options
- Glazable: No
- Design intended to hold mirror, not for stand alone doors

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Abacoa




**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Bahama



**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Duluth


**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Freeport


**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*





# Shaker Marathon




**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Naples




**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Beaded Shakers available with single or double beads
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Panama


Min. Size Doors: 7.25"w x 7.25"h

Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Sarasota




Min. Size Doors: 7.25"w x 7.25"h

Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Thin

**Min. Size Doors: 7.0"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Stiles & Rails 1/2"
- No Mullion Door Option
- Glazable: No

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Shaker Tortuga


**Min. Size Doors: 7.375"w x 7.375"h**

**Min. Size Reduced Rail Drawers: 7.375"w x 5.375"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- Doors Available in Arch, Cathedral, Semi-Circle and Square Raised Panels
- Available as Square Corner Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



Doormark, Inc.

# Applied Molding Designs




# Palm Beach



Min. Size Doors: 8.875"w x 8.875"h  
Min. Size Reduced Rail Drawers: 8.875"w x 5.875"h  
Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available as Square Raised Panel
- Available as Open Frame (1 Lite) Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*





# Vizcaya



Min. Size Doors: 8.0"w x 8.0"h  
Min. Size Reduced Rail Drawers: 8.0"w x 5.75"h  
Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available as Square Raised Panel
- Available as Open Frame (1 Lite) Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*



# Wellington



Min. Size Doors: 8.0"w x 8.0"h

Min. Size Reduced Rail Drawers: 8.0"w x 5.75"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- Doors available as Square Raised Panels
- Available as Open Frame (1 Lite) Mullion Doors
- Glazable: Yes

\* *Glazing Disclaimer: The ability to glaze depends on both the color and door design; not all colors can be glazed.*





Doormark, Inc.

# Infinite Series



# Shaker Jupiter


Min. Size Doors: 7.25"w x 7.25"h

Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- 3.00" Stiles & Rails
- Reduced Rail fronts have 1.5" rails
- These styles are designed specifically for paint application. The inside and outside edges of the stiles and rails are made without an eased edge.

Single piece construction using double refined mdf, with a melamine back, means no cracking with expansion.



# Shaker Largo


Min. Size Doors: 7.25"w x 7.25"h

Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h

Min. Size Slab Drawers: 7.0"w x 2.5"h

- 2.375" Stiles & Rails
- Reduced Rail fronts have 1" rails
- These styles are designed specifically for paint application. The inside and outside edges of the stiles and rails are made without an eased edge.

Single piece construction using double refined mdf, with a melamine back, means no cracking with expansion.





# Shaker Vero


**Min. Size Doors: 7.25"w x 7.25"h**

**Min. Size Reduced Rail Drawers: 7.25"w x 5.0"h**

**Min. Size Slab Drawers: 7.0"w x 2.5"h**

- 2.375" Stiles & Rails
- Reduced Rail fronts have 1.5" rails
- Vertical lines through rails for an authentic Shaker look
- These styles are designed specifically for paint application. The inside and outside edges of the stiles and rails are made without an eased edge.

Single piece construction using double refined mdf, with a melamine back, means no cracking with expansion.



Doormark, Inc.

# Vivid Series






# Vivid Series 1

Through high brilliance and a stunning depth of color, StyleLite High Gloss panels in the **Doormark Vivid Series 1**, are the superior choice for creating stunning, modern interior spaces. StyleLite High Gloss Panels are manufactured to stringent internationally recognized quality standards and will suit any residential or commercial project where a ripple free, easy to maintain high gloss finish is desired. These parts are made with virtually seamless edges and a mirror-like finish.

**StyleLite High Gloss panels** are perfect for all applications where luxury, luster and durability are a necessity.

## Frame Only Window Doors

Manufactured with a routed groove, Vivid Series 1 frame only window doors allow you to set your project apart from the rest with a sleek modern look.



## Finger Pulls

Vivid Series 1 doors and drawer fronts are available with integrated finger pulls. Parts are manufactured with a 60 degree inside angle. This option accentuates the modern look and feel by eliminating the need for pulls or knobs.

## Vivid Series 2

These ultra-modern finishes will add a superior elegance to your home, office or even a storefront with the high quality ultra-gloss and ultra-matte finishes. With a variety of contemporary designs, the possibilities are endless with the Ultrapan panels in the Doormark Vivid Series 2.

These brilliant finishes are perfect for the contemporary lifestyle that embodies simple yet stylish looks for any end use. Ultra-gloss finishes are rich in color with a mirror like reflection that are not only aesthetically pleasing but also provide exceptional durability. Ultra-matte finishes possess a smooth soft touch texture that create a chic, modern look.

Ultrapan panels in the Doormark Vivid Series 2 utilize the latest in cutting edge technology to bring you radiant panels that are scratch, stain and UV resistant, 100% eco-friendly and easy to maintain with superior durability.




**Vivid Series 2** are **not** available with fingerpull or window door options.



# Crown Molding


## Base Moulding

1/2" Thick  
Size: 3 1/4" x 8'  
Finish Height: 3 1/4"




## Scribe Moulding

(Cabinet Top Mount)  
5/8" Thick  
Size: 1 1/4" x 8'




## Colony Crown

(Cabinet Top Mount)  
Size: 3 1/2" x 8'  
Finish Height: 2 1/4"




## Toe Kick Moulding

(Q Base)  
1/2" Thick  
Size: 2 3/4" x 8'  
Finish Height: 2 3/4"




## Cove Crown

(Cabinet Face Mount)  
Size: 2 3/4" x 8'  
Finish Height: 2"




## Windsor Crown

(Cabinet Face Mount)  
Size: 2 3/4" x 8'  
Finish Height: 2"




## Designer Crown

(Cabinet Top Mount)  
Size: 5 1/2" x 8'  
Finish Height: 3 5/8"




## 1.625 Cap

(Seam or Joint Cover)  
3/4" Thick  
Size: 1 5/8" x 8'



## Renaissance Moulding

(Cabinet Face Mount)  
Size: 4 5/8" x 8'  
Finish Height: 3 5/8"



## 2.75 Val


(Seam or Joint Cover)  
3/4" Thick  
Size: 2 3/4" x 8'




# Fluted Fillers / Rosettes




**K2**




**W7**



**Q1**




**RQ**



**RW**



**RR**



Fillers are available in the following styles:


Type	Description
K2	Flutes start at 1" from the top and 1" from the bottom
S3	Flutes start at 2" from the top and 2" from the bottom
T4	Flutes start at 3" from the top and 3" from the bottom
U5	Flutes start at 2" from the top and 4" from the bottom
V6	Flutes start at 3" from the top and 5" from the bottom
X8	Flutes start at 1" from the top and all the way through
Y9	Flutes start at 2" from the top and all the way through
Z0	Flutes start at 3" from the top and all the way through
Q1	Tiered

Flutes with rosettes are available in the following styles:

Type	Description
RX	Double Rosette - Straight Flutes
RR	Double Rosette - Tiered Flutes
RW	Single Rosette - Flutes go to Bottom
RQ	Single Rosette - Tiered Flutes
RK	Single Rosette - Flutes 1" from Bottom
RY	Single Rosette - Flutes 2" from Bottom
RT	Single Rosette - Flutes 3" from Bottom
RU	Single Rosette - Flutes 4" from Bottom
RV	Single Rosette - Flutes 5" from Bottom

## Rosettes

**Size:** 3 5/8" x 3 5/8"





# Glazing


Door Design: **CAPTIVA**  
Color: **Candlelight**  
Glaze: **Egg Shell**



Door Design: **PALM BEACH**  
Color: **Driftwood Maple**  
Glaze: **Dark Walnut**



Door Design: **SHAKER SARASOTA**  
Color: **Antique Silver**  
Glaze: **Umber Brown**



Door Design: **WELLINGTON**  
Color: **Cognac**  
Glaze: **Black**

# Laminate Offerings



For an exact match, Doormark offers 3D laminate applied to a phenolic backer.

This product can be used in the same way as traditional HPL and is an exact match as it is manufactured using the same laminate used on the doors and drawers.


3D Laminate (thermofoil) can also be used when refacing. It is sold by the lineal foot.









# Mullion Doors




**1 Lite**




**1 Lite**




**2 Lite**




**3 Lite**



**4 Lite**




**6 Lite**




**8 Lite**




**6 Lite**




**Window Over Window**



**Triple Panel Window**




**Window Over Solid**




**Window Over Raised Panel**

# Panel Over Panel




## Type "P" Panel Over Panel

- 9" (229mm) minimum width
- 16" (419mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable
- Available up to 4 panels




## Type "H" Horizontal Panel

- 16" (419mm) minimum width
- 9" (229mm) minimum height
- Available in square raised panel only
- Available up to 4 panels




## Type "Z" 1/3 Panel Over 2/3 Panel

- 9" (229mm) minimum width
- 16" (419mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable



## Type "D" Panel Over Panel

- 9" (229mm) minimum width
- 24" (609mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable
- The height of the "Middle Rail" approximately 149 mm
- Center of "Middle Rail" approximately 32.6" (828mm) from bottom of door



## Type "M" Panel Over Panel

- 9" (229mm) minimum width
- 24" (609mm) minimum height
- Square, arch, or cathedral raised panels are available only on the upper panel when applicable
- The height of the "Middle Rail" approximately 149 mm
- Center of "Middle Rail" approximately 30.157" (766mm) from bottom of door



# Valances, Scooped Fronts & Window Fronts

## Valance Type

## Illustration

### Arched Valances

Available sizes:

6" x 32"

6" x 38"

6" x 50"



### Scalloped Valances

Available sizes:

6" x 32"

6" x 38"

6" x 50"



All valances come with 3/8" radius round over on profiled edge. Custom sizes available, but limitations apply. Please contact customer service for more information.


## Front Type

## Illustration

### "S" Scooped Fronts

Scoop width will vary, depending on drawer width.

Scoop depth is 1" (25mm)



### "U" Scooped Fronts

• Scoop width is 4.75" (120mm)

• Scoop depth is 2" (50mm)




### Window Front

• Rails are typically 1" (25mm)

• Stiles are consistent with door design.

• All door designs available




Most Edge details available. Contact customer service for more information

# Wine Racks




Custom sizes available, but limitations apply.  
Please contact customer service for more information.


**8 Lites**  
15" x 21"




**11 Lites**  
15" x 27"




**14 Lites**  
15" x 33"




**12 Lites**  
21" x 21"



**17 Lites**  
21" x 27"



**22 Lites**  
21" x 33"



Minimum Size - 14" x 20"  
Maximum Size - 48" x 96"  
Ordered individually



# Hinge Boring


**Doormark** offers you the option of having hinge holes bored in your cabinet/closet doors. This feature will allow you to take your doors directly to the job site.

There are two hinge boring patterns to chose from. (see order form)


**Pattern 1** is a single 35mm hole drilled at a depth of 1/2" (12.7mm)

**Pattern 2** has one 35mm hole and two 8mm holes for dowels drilled at a depth of 1/2" (12.7mm)

## DR1




## DR3




## Standard hinge placement.


8" up to 13"



13" up to 36"



36" up to 60"




60" up to 96"



When ordering cathedral or arch style doors, any doors with finger pulls or a Biscayne style door, you will be required to select between a right edge hinge placement or a left edge hinge placement.

(see order form)

Left Bore



Right Bore

# Care & Cleaning Instructions for 3DL Components

## Cleaning

Always use a clean microfiber cloth or non-abrasive sponge.

- Wipe with a damp cloth or sponge with mild dish soap and water.

For tougher spots, wipe with a damp cloth or sponge using a mild degreaser such as **Simple Green**® (with a 50/50 mix of water), standard **Fantastik**® or standard **Formula 409**®.



## Cleaners to Avoid

- Any abrasive cleaner
- Solvent based cleaners and harsh chemicals
- Any cleaner in combination with a brush
- Cleaners containing ammonia
- Baking soda

In the event of a chemical spill on a thermofoil surface, wipe it up immediately. Then wash the surface with soapy water and rinse several times.

## Care

Special care must be taken when using toasters, grills, coffee makers and any counter top appliance that generates heat or steam to ensure that doors are not subjected to excessive temperatures.

Special care must also be taken when using the self cleaning option on a standard oven. It is recommended that a heat shield be installed to deflect and shield excessive radiant and convective heat.





SCAN QR CODE  
TO PLACE AN ORDER ONLINE